

Teelinx

Auto Tee-up System

Hardware & Software Solution

The Teelinx Auto Tee-up System comes packaged with following modules and software that enables players to customize button controls and connect to both simulators and gameplay.


1 Tee Module Box

2 Ball Return Screw Module


3 Control Keypad

4 Rubber Tee (Set of 2)


5 Ball Return Hose (Adjustable Length)



- Tee height: 0-70mm, adjusted by every 5mm
- The world's lowest tee-up device (Height of system-110mm, Height of case-126mm)
- Less limits on installation (installable in any place with ceiling higher than 9 feet)
- Length of ball dispensing tube can be easily adjusted
- Easy Installation and Solid Auto Tee Up Device
- Manufactured by molding and laser cutting process
- Auto Mode dispenses ball automatically, and Step Mode dispenses ball whenever switched on
- By detecting balls by rays, it minimizes malfunction rates and extends machine life
- Voltage: 110V-220V, 50-60Hz, Power Consumption : Max. 60W




- 1 Adjust tee up and down (Ball re-tees to last set height)
- 2 Adjust aim left/right in simulation game play
- 3 Customizeable Mulligan Button
- 4 Tees up new ball (Compatible Teelinx Systems will auto tee after strike)




Tee*linx* Software



Once installed and configured the Tee*linx* software runs automatically in the background every time the computer is fired up.



The software integrates with simulators and enables users to customize their Keypad buttons in the settings panel.



Easy to use interface allows users to click on the Keypad button they wish to set where they can choose from the list of available actions.



Teelinx Pricing

Retail Price

\$3500

Hardware and software components only.

Includes: Tee-Up Module, Ball Receiver with Screw Module, Keypad, and Teelinx Software for PC

We look forward to working with you!

Golflinx

Golflinx.com | info@golflinx.com

2323 Main St. Irvine, CA